









All-in-One Business Continuity

Built to ensure business is always on and resilient to disasters, Siris is an all-in-one solution that includes verified backups, restore options for any scenario, instant virtualization, and ransomware protection. SIRIS is backed by Datto's private cloud so backup, failover, and recovery can be performed locally or in the cloud with no additional configuration. Streamlined business continuity solutions save time, money, and headaches.



Raising The Bar For Reliability

Extensive restore times from file backups, backup failures and inability to restore data for customers are major pain points. Datto eliminates those concerns by designing and delivering better backup and restore options.

Reliability begins with knowing your backup is always good. Datto eliminates the need to worry if the system will boot or be recoverable by automatically verifying backups will boot with all data intact and no ransomware, giving you 100% confidence in your backups and ability to restore. Keep data in the Datto Cloud indefinitely with Infinite Cloud Retention and perform all restore tasks directly from the Datto Cloud. With backup you can count on and the ability to failover and restore from anywhere, you can rest easy.



SIRIS 4

Protect Anything. Run Anywhere. Restore Anytime.

Business

S4-B1	S4-B2	S4-B3		
1TB (Flash)	2TB (Flash)	3TB (Flash)		
	Intel Xeon D 2123IT	-		
32 GB				
3 x 500GB (RAID 5)	3 x 1TB (RAID 5)	4 x 1TB (RAID 5)		
2 x 1GbE				
240GB SSD				
Desktop				
250 W				
	120 -240 V			
	1TB (Flash)	1TB (Flash) 2TB (Flash) Intel Xeon D 2123IT 32 GB 3 x 500GB 3 x 1TB (RAID 5) 2 x 1GbE 240GB SSD Desktop		

Professional

Model	S4-P2	S4-P4	S4-P6	S4-P10		
Capacity	2TB	4TB	6TB	10TB		
CPU		Intel Xeon D2143IT				
RAM	32 GB	48 GB				
Array	2 x 2TB (RAID 1)	2 x 4TB (RAID 1)	2 x 6TB (RAID 1)	2 x 12TB (RAID 1)		
NICs	2 x 10GbE					
OS Drive						
Chassis						
Output Power (reference only)	560 W					
Input Voltage	120 –240V					

Enterprise

Model	S4-E6	S4-E12	S4-E18	S4-E24	S4-E36	S4-E48	S4-E60	S4-E80	S4-E100
Capacity	6TB	12TB	18TB	24TB	36TB	48TB	60TB	80TB	100TB
CPU	2x Intel Xeo	n Silver 4210	2x Intel Xeo	on Silver 4214	2x Intel Xed	on Silver 4216	2x Intel Xeo	on Gold 5218	2x Intel Xeon Gold 6240
RAM		64	GB		96 GB	128 GB	256 GB	51	2 GB
Array	4 x 4TB's (RAID 6)	6 x 4TB's (RAID 6)	6 x 6TB's (RAID 6)	6 x 8TB's (RAID 6)	9 x 6TB's (RAID 6)	12 x 6TB's (RAID 6)	8 x 12TB's (RAID 6)	10 x 12TB's (RAID 6)	12 x 12TB's (RAID 6)
NICs					2x 10GbE + 2x 10	GbE			
OS Drive	240GB SSD					9			
Chassis	2U								
Output Power (reference only)	2 x 800 W								
Input Voltage					120 -240 V				

SIRIS 4X

Flash Powered Business Continuity.

Business

Model	S4-X1	S4-X2	S3-X4	
Capacity	1TB (Flash)	2TB (Flash)	4TB (Flash)	
CPU		Intel Core i3-7100U		
RAM	16 GE	32 GB (DDR4)		
RAID				
NICs				
OS Drive				
Chassis	Mini Desktop			

Professional

S4-XP4	S4-XP8	S4-XP12			
4TB (Flash)	8TB (Flash)	12TB (Flash)			
	Intel Xeon D2143IT				
48GB (48GB (DDR4)				
RAID 5					
2 x 10GbE					
	240GB SSD				
1U					

Enterprise

Model	S4-XE18	S4-XE36	S4-XE48			
Capacity	18TB (Flash)	36TB (Flash)	48TB (Flash)			
CPU	2x Intel Xeon Silver 4214	2x Intel Xeon Silver 5218	2x Intel Xeon Gold 6240			
RAM	64GB (DDR4)	128GB (DDR4)	256GB (DDR4)			
RAID		RAID 6				
NICs	2x 10GbE + 2x 1GbE					
OS Drive	240GB SSD					
Chassis		2U				



datto

©2019 Datto, Inc. All rights reserved.



2851 Charlevoix Dr SE Ste 100 | Grand Rapids MI 49546